### MINERAL SURVEY No. 3905

ARIZONA Land District. FIELD NOTES OF THE SURVEY OF THE MINING CLAIM OF THE ORION GOLD AND COPPER COMPANY KNOWN AS THE ACME No. 5 Lode SAN DOMINGO Mining District, MARICOPA County, ARIZONA Section s 4 and 5 , Township 6 North , Range 3 West Surveyed under instructions dated July 3rd., 1923. by Harry E. Jones, U. S. Mineral Surveyor. Claim located (See logation notice) 19 Survey commenced July 5th. , 1923. Survey completed Fuly 6th. Attys, Schupp & Hill: Address of claimant's, 208 Heard Blag. Phoenix, Arizona. DATES OF AMENDED LOCATIONS. June 30th. 1925.

6-822

Feet

SURVEY NO. 3905

ACME No.5 Lode

Beginning at Cor. No. 1

Identical with the location monument, a 3ft. fin. pipe with a brass cap marked U.S.MINERAL SURVEY NO.3905-1-ANO.5; set 18 ins. in ground and surrounded with a substantial mound of earth and rock.

The ½ corner common to Sections 4 and 5, T. 6 N. R. 3 W. bears N. 67° 19' W. 385.10 ft. No other suitable bearings available.

Thence S. 46° 56' W.

300.00 To South East End Center,

Identical with location monument, a substantial mound of stone.

600.00 To Cor. No. 2

Identical with location monument, a 3ft. in. pipe with a brass cap marked U.S.MINERAL SURVEY NO.3905-2-ANo.5; set 10 ins. in ground and surrounded with a substantial mound of earth and rock. No suitable bearings available.

Thence N. 43° '04' W.

1335.00 Cross center of 25 ft. wash, course SW.

1500.00 To Cor. No. 3

Identical with location monument, a 3ft. in. pipe with a brass cap marked U.S.MINERAL SURVEY NO.3905-3-ANO.5; set 20 ins. in ground and surrounded with a substantial mound of earth and rock. No suitable bearings available.

Thence N. 46° 56' E.

15.00 Cross center of road, course E. and W.

300.00 To North West End Center,

Identical with location monument, a substantial mound of stone.

450.00 Cross center of 20 ft. wash, course S.

600.00 To Cor. No. 4

Identical with location monument, a 3ft. in. pipe with a brass cap marked U.S.MINEPAL SURVEY NO.3905-4-ARO.5; set 20 ins. in ground and surrounded with a substantial mound of earth and rock. No suitable bearings available.

Teet

Thence S. 43° 04' E.

608.00 Cross center of road, course NE. and SW.

670.00 Cross center of 10 ft. wash, course SW.

1500.00 To Cor. No. 1 the place of beginning.

Mean Magnetic variation at all corners is 14°40' E.

### Lode Line

-----

As near as can be determined from the present development the vein of the location embraced in this claim extends as follows from the discovery point:

Acme No.5 lode, N.43°04'W. 1162 ft. and S.43°04'E. 338 ft.

Area

Total area Acme No. 5 lode,

NW. End Center.

20.661 Ac.

Value \$ 100.00

### Location

This survey is located in the  $\mathbb{R}^{\frac{1}{2}}$  of Section 4, and the  $\mathbb{E}^{\frac{1}{2}}$ of Section 5, T. 6 N. R. 3 W. G. and S. R. B. and M.

Expenditure of Five Hundred Dollars I certify that the value of the labor and improvements made upon or for the benefit of the location embraced in said mining claim by the claimant or its grantors is not less than Five Hundred Dollars, and that said improvements consist of:

No.1 Disc. incline shaft 5x7x80 ft. deep, and at 52 ft. depth, drifts running 4x6x30 ft. to SE. and cross cut 4x6 x9 ft. to NE. from 22 ft. point; Drifts running 4x6x30 ft. to NW. with cross cut 4x6x9 ft. to SW. from 25 ft. point. bears N.43°04'W. 338 ft. from SE. End Cen. Value \$ 3170.00 No. 2 shaft 4x6x6 ft. deep bears N.43°04'W. 318 ft. from Value \$ 75.00 SE. End Center. No.3 shaft 4x6x8 ft. deep bears N.50°W. 160 ft. from SE. Value \$ 100.00 End Center. No. 4 shaft 4x6x8 ft. deep bears S.8°45'E. 496 ft. from

### Other Improvements

The NE. cor. of frame pumping plant building 14x31 ft. with lean-to 8x10 ft. on W. end bears S. 33°30'E. 520 ft. from the NW. end center, with 2in. pipe line from pump to tank to trough. A water trough 6x15 ft. bears S.49°E. 640 ft. from the NW. end center,

A cut bears 5.49°E. 700 ft. from the NW. end center.

A water tank 8x8 ft. bears N.27°25'W. 640 ft. from Cor.2.

A powder house cut bears N.10°47'W. 527 ft. from Cor. 2.

A frame engine house 10x12 ft. bears N.6°27'W. 410 ft.

from Cor. No. 2.

An ore bin 12x12 ft. bears North 520 ft. from Cor. No. 2.

### Adjoining claims

This claim is bounded on all sides by public land.

#### Instrument

This survey was made with a W. & L. E. Gurley light mountain transit. The courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with 50 ft. and 660 ft. steel tapes.

#### Report

The lines of this claim were run directly upon the ground and the corners established by measurements along said lines. The tie line was run directly upon the ground. The public land corner to which this survey is tied is a brass capped pipe properly set and marked. The amended location notice of this claim gives the lode line distances incorrectly, which same are herein given correctly.

U. S. Mineral Surveyor.

### FINAL OATHS FOR SURVEYS.

### LIST OF NAMES.

A list of the names of the individuals emp	ployed by Harry E. Jones,
United States Mineral Surveyor, to assist in	running, measuring, and marking the lines, corners, and
	er Company
	5 lode •
and showing the respective capacities in which	
	J. L. Jones , Chainman.
	, Chainman.
	, Axman.
	, Flagman.
	, 2 vagnan.
FINAL OATH	S OF ASSISTANTS.
We, J. L. Jones,	
and	., do solemnly swear that we assisted
Harry E. Jones, United States	Mineral Surveyor, in marking the corners and surveying
The Orion Gold & Copr	ner Compeny
집단계 19.1 등 하는 하는 이 모든 것이 없는 것이 없다.	5 lode
represented in the foregoing field notes as have	ing been surveyed by said mineral surveyor and under his
direction; and that said survey has been in all r	espects, to the best of our knowledge and belief, faithfully
	ary monuments established according to law and the instruc-
	eneral for Arizona.
	Il Jones, Chainman.
	···, Chainman.
	, Axman,
	, Flagman
Subscribed and sworn to by	the above-named persons before me this 7th
day ofJuly	Tacpt Q. Phelip
Way Commission and	Hotary Public.

### FINAL OATH OF U.S. MINERAL SURVEYOR.

I, Harry E. Jones, U. S. Mineral Surveyor,				
do solemnly swear that, in pursuance of instructions received from the United States				
Surveyor General for Arizona, dated				
July 3rd. 1923, , I have, in strict conformity to the laws of the				
United States, the official regulations and instructions thereunder, and the instructions				
of said Surveyor General, faithfully and correctly executed the survey of the Mining				
Claim of The Orion Gold and Copper Company				
, known as the				
ACME No. 5 lodé				
situate in San Domingo Mining District,				
Maricopa County, Arizona , in Sections				
4 and 5 , Township No. 6 N. , Range No. 3 N. G&SRB&M. ,				
and designated as Survey No. 3905, as represented				
in the foregoing field notes, which accurately show the boundaries of said mining claim				
as distinctly marked by monuments on the ground, and described in the attached copy				
of the location certificate, which was received by me from the Surveyor General with				
said instructions, and that all the corners of said survey have been established and per-				
petuated in strict accordance with the law, official regulations and instructions there-				
under; and I do further solemnly swear that the foregoing are the true and original				
field notes of said survey and my report therein, and that the labor expended and				
improvements made upon said mining claim by claimant oritsgrantors				
are as therein fully stated, and that the character, extent, location, and itemized value				
thereof are specified therein with particularity and full detail, and that no portion of				
said labor or improvements so credited to this claim has been included in the estimate				
of expenditures upon any other claim.				
1/10				
Hruge Jouer U. S. Mineral Surveyor.				
Do. S. Juineral Surveyor.				
Subscribed and sworn to by the said Herry E. Jones				
U. S. Mineral Surveyor, before me a notary public in and for the				
County of Maricopa State of Arizona this 7th.				
day of, 19 23.				
Selft a. Thillep				
Ilotary Public.				
commission expires and 93, 1953,				
Committee of the state of the s				
(1927)				

# U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

DEPARTMENT OF THE INTERIOR,

	OFFICE OF U. S. SURVEYOR GENERAL,		
	Phoenix, Arizona,		
	August 13	, <b>1</b> 923 .	
I, U. S. Surveyor General for	District of Arizona	,	
do hereby certify that the foregoing transc	ript of the Field Notes, return a	nd approval	
of the Survey of the mining claim of			
	Copper Company		
, known as the			
, situa			
Mining District,			
Arizona , in Sec			
Range No. 3 W.	, and designate	ed as Survey	
	urnish such an accurate descript a patent, serve fully to identify the natural objects or permanent moved dollars' worth of labor has be claim by claimant or its gafts, 2 drifts and 2 cross	otion of said the premises, conuments as en expended trantors, and consecuts,	
and that no portion of said labor or improexpenditures upon any other claim.  I further certify that the plat thereof,  Arizona, is correct and in co	vements has been included in th	e estimate of  Phoenix,  d Notes.	

## SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

### DEPARTMENT OF THE INTERIOR

OFFICE OF U. S. SURVEYOR GENERAL

	Phoer	nix, Arizona,	
		August	<u>13</u> , 1923 •
I, U. S. Surveyor General for	Distric	t_of_Arizona	
do hereby certify that the foregoing an	d hereto attached Fiel	ld Notes and Return of t	the Survey of the
Mining Claim of			
The Orion G	old and Copper	Company	
			, known as the
	ACME NO. 5 lo	d.e	
situate in	San Domingo		_ mining district,
<u> </u>	County,	Arizona	
in Section <u>s. 4 &amp; 5</u> , To	wnship No. 6 N	, Range No.	3 W.
, designated as Sur	vey No	3905	
executed by Harry E	. Jones		, U. S. Mineral
Surveyor, July 5 - 6		, 1923, under my in	structions dated
July 3	, 192 3, have been	en critically examined a	nd the necessary
corrections and explanations made, and	the said Field Notes a	and Return, and the surv	ey they describe,
are hereby approved. The certified cop	by of the location cert	ificate filed by the applic	ant for survey is
on file in this office and a true copy of	said certified copy of	said location certificate	is included and
made a part of the transcript of the field	d notes.		
	A	1/50 5	/
	Sim	uUS (70) 20	

U. S. Surveyor General for Arizona.